

MOBILE THALASSAEMIA DIAGNOSIS SYSTEM USING CASE-BASED REASONING

MOHAMMADNOR BASRI BIN SHAFE

UNIVERSITI UTARA MALAYSIA 2005

MOBILE THALASSAEMIA DIAGNOSIS SYSTEM USING CASE-BASED REASONING

A thesis submitted to the Faculty of Information Technology in partial
fulfillment of the requirement for the degree
Master of Science (Information Technology)
Universiti Utara Malaysia

By

Mohammadnor Basri bin Shafe



JABATAN HAL EHWAL AKADEMIK
(Department of Academic Affairs)
Universiti Utara Malaysia

PERAKUAN KERJA KERTAS PROJEK
(Certificate of Project Paper)

Saya, yang bertandatangan, memperakukan bahawa
(I, the undersigned, certify that)

MOHAMMADNOR BASRI SHAFE

calon untuk Ijazah
(candidate for the degree of) **MSc. (IT)**

telah mengemukakan kertas projek yang bertajuk
(has presented his/her project paper of the following title)


**MOBILE THALASSAEMIA DIAGNOSIS SYSTEM USING CASE-BASED
REASONING**

seperti yang tercatat di muka surat tajuk dan kulit kertas projek
(as it appears on the title page and front cover of project paper)

bahawa kertas projek tersebut boleh diterima dari segi bentuk serta kandungan
dan meliputi bidang ilmu dengan memuaskan.
(that the project paper acceptable in form and content, and that a satisfactory
knowledge of the field is covered by the project paper).

Nama Penyelia Utama
(Name of Main Supervisor): **MR. AZIZI AB. AZIZ**

Tandatangan
(Signature)

: 

Tarikh
(Date)

: 23/10/05

PERMISSION TO USE

In presenting this thesis in partial fulfillment of the requirements for a postgraduate degree from the Universiti Utara Malaysia, I agree that the University Library may make it freely available for inspection. I further agree that permission for copying of this thesis in any manner, in whole or part, for scholarly purposes may be granted by my supervisor(s) or, in their absence by the Dean of the Faculty of Information Technology. It is understood that any copying or publication or use of this thesis or parts thereof for financial gain shall not be allowed without my written permission. It is also understood that due recognition shall be given to me and to Universiti Utara Malaysia for any scholarly use which may be made of any material from my thesis.

Requests for permission to copy or to make other use of materials in this thesis, in whole or in part, should be addressed to

**Dean of Faculty of Information Technology
Universiti Utara Malaysia
06010 Sintok
Kedah Darul Aman.**

ABSTRACT (BAHASA MELAYU)

Sifat semulajadi pekerjaan seorang pengamal perubatan yang sentiasa bergerak demi keperluan tugas membatasi capaian mereka kepada maklumat digital pada masa yang diperlukan. Oleh itu, peranti mudah alih adalah alternatif yang sesuai untuk kegunaan mereka. Dengan perkembangan pesat peranti mudah alih, keupayaan pemprosesan juga berkembang untuk memenuhi keperluan yang lebih mencabar. Bukan sahaja capaian kepada maklumat, pengamal perubatan juga perlu merujuk kepada kes-kes yang lalu bagi membuat keputusan atau diagnosis. Dengan itu *Case-Based Reasoning (CBR)*, iaitu satu cabang teknik kepintaran buatan dilihat sesuai untuk membantu pengamal perubatan membuat keputusan. CBR membandingkan kes baru dengan kes-kes sedia ada dan mencadangkan penyelesaian bagi kes baru berdasarkan penyelesaian yang telah dibuat untuk kes-kes yang sedia ada. Proses ini hampir menyamai cara manusia membuat keputusan. CBR memberi penjelasan terhadap cadangan yang dikemukakan dengan menunjukkan contoh penyelesaian yang telah dibuat kepada masalah yang hampir serupa. Untuk membangunkan sistem CBR, pengumpulan kes-kes lalu adalah merupakan tugas utama jika dibandingkan dengan tugasan sistem pakar yang perlu mentafsir kepakaran seseorang pakar. Thalassaemia, sejenis ganguan genetik darah, telah dipilih sebagai bidang (domain) bagi sistem diagnosis dengan menggunakan kaedah CBR ini.

ABSTRACT (ENGLISH)

Nomadic nature of physicians restricts their access to digital information at times when it is needed. Thus, mobile device is seen as a plausible alternative. With the rapid development of mobile devices, its processing power also increases to cater to challenging computing task. Not only access to information, physician also needs to refer to past cases to make decision or diagnosis. Therefore, case-based reasoning, (CBR) a subset of AI technique is perceived to be useful in assisting physicians in making diagnosis. CBR compares new case with existing past cases in the case base and if there is similarity, the past solution is suggested as solution to the new case. This somewhat resembles human decision making. CBR provides justification and better explanation by depicting previous instance(s). As oppose to expert system, the task of knowledge elicitation turns into case histories gathering for CBR. Thalassaemia, a genetic blood disorder, is opted as the domain for this mobile CBR diagnosis system.

ACKNOWLEDGMENT

By the Name of Allah, the Most Gracious and the Most Merciful

I would like to express my deepest gratitude and appreciation to a wonderful, supportive and friendly supervisor, Mr. Azizi Ab Aziz, for sharing his invaluable knowledge, thoughts and experience throughout this project. A genuine appreciation to Pn. Rohani Farook, who has willingly, shares the data for this project. An appreciation, to all lecturers and my friends, who have morally, supports me in completing this project.

Special appreciation also goes to my parents who pray for my success. Last but not least to my loving family who has tolerates the time taken for the completion of the project.

**Mohammadnor Basri bin Shafe
Faculty of Information Technology
Universiti Utara Malaysia
October 2005**

TABLE OF CONTENT

	Page
PERMISSION TO USE.....	i
ABSTRACT (BAHASA MALAYSIA).....	ii
ABSTRACT (ENGLISH).....	iii
ACKNOWLEDGEMENTS.....	iv
TABLE OF CONTENT.....	v
LIST OF TABLES.....	vii
LIST OF FIGURES.....	viii
LIST OF ABBREVIATION.....	ix

CHAPTER 1: INTRODUCTION

1.1 Motivation.....	1
1.2 Problem Statement.....	4
1.3 Objectives of the Study.....	5
1.4 Scope of the Study.....	6
1.5 Project Significance.....	6
1.6 Thesis Organization.....	7

CHAPTER 2: LITERATURE REVIEW

2.1 Mobile Device Technology Used in Healthcare.....	9
2.2 PDAs in Health Science Library.....	11
2.3 Software for Medical Work Nature and Personnel.....	13
2.4 Case-Based Reasoning.....	17
2.5 Medical Diagnosis.....	19
2.6 Thalassaemia.....	22
2.6.1 Thalassaemia Major	24
2.6.2 Thalassaemia Minor	25

CHAPTER 3: METHODOLOGY

3.1 System Architecture.....	26
3.2 Case-Based Reasoning.....	27
3.2.1 History of CBR.....	27
3.2.2 Fundamentals of Case-Based Reasoning Methods.....	30
3.2.3 CBR Cycle.....	31
3.2.4 Advantages of CBR.....	33
3.3 General Methodology of Design Research.....	34
3.3.1 Awareness of the Problem.....	35
3.3.2 Suggestion.....	36
3.3.3 Development.....	42
3.3.4 Evaluation.....	45
Test for Accuracy.....	46
Test for Implementation.....	46
3.3.5 Conclusion.....	47

CHAPTER 4: FINDINGS AND DISCUSSION

4.1 Screenshots.....	48
4.2 Test Result.....	52
4.2.1 Test for Calculation Accuracy.....	52
4.2.2 Test for System Accuracy.....	52

CHAPTER 5: CONCLUSION AND FUTURE WORK

5.1 Conclusion.....	54
5.2 Recommendation for Future Work	55

REFERENCES.....	56
------------------------	----

APPENDICES.....	60
------------------------	----

Appendix A Dataset	
Appendix B Test Set	
Appendix C Source Code	

LIST OF TABLES

	Page
Table 3.1: Values for Each Attribute for One of the Case.....	36
Table 3.2: Specification of PDA Used to Deploy the Application.....	45
Table 4.1: Test Conducted to Check the Accuracy of Calculation.....	52
Table 4.2: Suggested Diagnosis and Actual Diagnosis of Testing Cases....	53

LIST OF FIGURES

	Page
Figure 2.1: Normal Red Blood Cells.....	23
Figure 2.2: Red Blood Cells with Thalassaemia.....	23
Figure 3.1: Architecture of the Thalassaemia Diagnosis System Using CBR	27
Figure 3.2: CBR 4REs Cycle.....	32
Figure 3.3: General Methodology of Design Research.....	34
Figure 3.4: A Lifecycle for RAD.....	34
Figure 3.5: Use Case Diagram.....	37
Figure 3.6: Class Diagram.....	38
Figure 3.7: Sequence Diagram for Retrieve Case.....	39
Figure 3.8: Sequence Diagram for Retain Case.....	40
Figure 3.9: The Visual Studio .NET 2003 Designer.....	43
Figure 3.10: The Windows Mobile 2003 Emulator	44
Figure 4.1: Screenshot Showing Form to Input Values for New Case.....	49
Figure 4.2: Screenshot Showing Sample Values for New Case.....	49
Figure 4.3: Screenshot Showing Suggested Diagnosis for New Case.....	50
Figure 4.4: Screenshot Showing a Message Prompting User to Retain Case	50
Figure 4.5: Screenshot Showing a Retained Case Message.....	51
Figure 4.6: Screenshot Showing a Retained Case in SQLCE Database.....	51

LIST OF ABBREVIATION

AI	Artificial Intelligence
AIDeHbF	Alkaline Denaturation for Haemoglobin Feotus
CBR	Cased-based reasoning
Hb	Haemoglobin
HbA2s	Haemoglobin A2 Estimation
HbEl	Haemoglobin E lectrophoresis
HInc	Haemoglobin Inclusion
MCH	Mean Corpuscular Haemoglobin
MCHC	Mean Corpuscular Haemoglobin Concentration
MCV	Mean Corpuscular Volume of Red Cells
MOP	Memory organization packets
PDA	Personal Digital Assistance
RAD	Rapid Application Development
SeFe	Serum Feritin
SQLCE	SQL Server 2000 Windows CE Edition
TRBC	Total Red Blood Cells
UML	Unified Modeling Language

CHAPTER 1

INTRODUCTION

In this chapter, the first section describes the overall idea in this study from the motivation to the idea of implementation and the benefit of project. It is followed by the problem statement, the objectives of the study, the significance of the study, the scope of the study and finally the organization of the thesis.

1.1 Motivation

The increasing number of Thalassaemia cases in Malaysia is rather alarming and it becomes the concern of many parties including medical practitioners and the authorities as well as the government. It is estimated that there are about 600 thousand to one million Thalassaemia patients in this country. To make the matter worse, it is estimated that about 150 to 150 babies are born with Thalassaemia each year. These babies might not survive their childhood without treatment (The Reader's Digest, 1989). Treatment for Thalassaemia patients includes blood transfusions. Roughly, these patients need about 20 blood transfusions per year. As a result of these blood transfusions, the patients would need chelating agent to get rid of iron overload as the consequences of the blood transfusion. Patients need about RM1000 for this chelating agent. This would be very costly for the patients who are in the lower income group.

The contents of
the thesis is for
internal user
only

REFERENCES:

- Aamodt, A. & Plaza, E.(1994). Case-Based Reasoning: Foundational Issues, Methodological Variations, and System Approaches, *AI Communications*, 7(1), pp 39-59. Retrieved Jul 30, 2005, from
http://www.idi.ntnu.no/emner/it3704/lectures/papers/Aamodt_1994_Case.pdf
- Al-Ali, A.R., Al-Rousan, M. & Al-Shaikh, M. (2003). Embedded system-based mobile patient monitoring device, *Computer-Based Medical Systems, 2003. 16th IEEE Symposium*, pp. 355-360. Retrieved Jun 29, 2005, from
<http://ieeexplore.ieee.org>
- Baldwin, L.P., Clarke, M. & Jones, R. (2002). Clinical ICT systems: augmenting case management. *Journal of Management in Medicine*, 16(2/3), pp. 188-198
- Beleccheanu, R., Pawar, K.S., Barson, R.J., Bredehorst, B., & Weber, F. (2003). The application of case based reasoning to decision support in new product development. *Integrated manufacturing systems*. 14(1). Retrieved Jun 29, 2005, from <http://taddeo.emeraldinsight.com.eservice.uum.edu.my/>
- Choy, K.L. & Lee, W.B. (2002). A generic tool for the selection and management of supplier relationships in an outsourcing manufacturing environment: The application of case based reasoning. *Logistic information management*, 15(4). Retrieved Jun 29, 2005, from
<http://ninetta.emeraldinsight.com.eservice.uum.edu.my>
- Epocrates Essentials, Retrieved Jun 29, 2005 from
<http://www2.epocrates.com/products/essentials>
- Fadzilah, S. & Azliza, M.A. (2004). Web-based Neurofuzzy classification for breast cancer. *Proceedings of the Second International Conference on Artificial Intelligence in Engineering & Technology*, 1, 383-392

- Frize, M., Solven, F.G., Stevenson, M., Nickerson, B.G., McGowan, H.C.E. (1996). Information technologies approach and development for various medical applications, *Electrical and Computer Engineering*, 1, 351-354. Retrieved August 21, 2005 from <http://ieeexplore.ieee.org/iel3/3852/11244/00548109.pdf?tp=&arnumber=548109&isnumber=11244>
- Garrison, G.A., Anderson, T.L., MacDonald, M.H., Schardt, C.M., Thibodeau, P.L. (2003). Supporting PDAs: the experience of a health sciences library, *Library Hi Tech*, 21(4): 412-418
- Hsu, C.C., Ho, C.S. (1998). A hybrid case-based medical diagnosis system. *Tools with Artificial Intelligence*, 359-366. Retrieved August 15, 2005 from <http://ieeexplore.ieee.org/iel4/6005/16054/00744865.pdf?tp=&arnumber=744865&isnumber=16054>
- Jusica, I., & Glasgow, J. (2000). Extending Case-Based Reasoning by Discovering and Using Image Features in IVF. *Proceedings of the 2000 ACM symposium on applied computing*, pp.52-59. Retrieved Jun 29, 2005 from <http://delivery.acm.org.eserv.uum.edu.my>
- Liu, J., Yuen, P.C., Tang, Y.Y., Wang, X. & Ying, H. (1996). Evidential inference with embedded pattern classifiers: towards a medical expert system for diagnosis, *Systems, Man, and Cybernetics*, 2, 1096 – 1101 Retrieved Jun 29, 2005 from <http://ieeexplore.ieee.org/iel3/4232/12290/00571236.pdf?tp=&arnumber=571236&isnumber=12290>
- Kugean, C., Krishnan, S.M., Chutatape, O., Swaminathan, S., Srinivasan, N., & Wang, P. (2002). Design of a mobile telemedicine system with wireless LAN. *Circuits and Systems, 2002. APCCAS '02. 2002 Asia-Pacific Conference*, 1, pp. 313-316. Retrieved Jun 29, 2005, from <http://ieeexplore.ieee.org>

- Morton, S., & Bukhres,O. (1997). Utilizing Mobile Computing in the Wishard Memorial Hospital Ambulatory Service. *Symposium on Applied Computing, Proceedings of the 1997 ACM symposium on Applied computing*, pp.287-294. Retrieved Jun 29, 2005, from <http://delivery.acm.org.eserv.uum.edu.my>
- Peters, T.A., Dorsch, J., Bell,R., & Brunette, P. (2003). PDAs and health sciences libraries. *Library Hi Tech*, 21(4), 400-411
- Pollard, J.K., Rohman, S., & Fry, M.E. (2001). A Web-based mobile medical monitoring system, *Intelligent Data Acquisition and Advanced Computing Systems: Technology and Applications, International Workshop*, pp. 32-35. Crimea, Ukraine. Retrieved Jun 29, 2005, from <http://ieeexplore.ieee.org>
- Regan, P.M., & Slator, B.M. (2002). Case-based Tutoring in Virtual Education Environments. *Proceedings of the 4th international conference on Collaborative virtual environments*. Retrieved Jun 29, 2005, from <http://delivery.acm.org.eserv.uum.edu.my>
- Rios, G.R. (2004). PDA librarian. *Reference Services Review*, 32(1), 16-20
- Rohani, F. Azizi, Z. & Fadzilah, S. (2004). Thalassaemia Diagnosis on Web using Case-based Reasoning Technique. *Proceedings of the Second International Conference on Artificial Intelligence in Engineering & Technology*, 1, 393-398.
- Saranee, S. (2004). WEBMAG: Web base servers management using case-based reasoning. Masters Project M.Sc. Intelligence System, Universiti Utara Malaysia.
- Schuster, A., Sterritt, R., Adamson, K., Shapcott, C.M. and Curran, E.P., (1999). Case-Based Reasoning for Complex Telecommunication Systems., *European Network of Excellence Erudit Workshop on Application of Computational Intelligence Techniques in Telecommunication.*, Imperial College, London., 33-38.

Shafinaz, S.M.(August 7, 2005). Ubat oral pesakit talasemia. *Mingguan Malaysia*, 27.

Shiffman, R.N., Karras, B.T., Nath, S., Engles-Horton, L., & Corb, G.J. (1999). Pen-Based, Mobile Decision Support in Healthcare. *ACM SIGBIO Newsletter*, 19(2) Retrieved Jun 29, 2005, from <http://delivery.acm.org.eserv.uum.edu.my>

Tam, S.(March 4, 2005). RM40mil to treat 600,000 victims of thalassaemia. *The Star*. Retrieved July 12, 2005, from http://www.free2consult.com/thasuh/index.php?module=announce&ANN_id=2&ANN_us....

The Reader's Digest (1989). Medical Question & Answer Book, Reader's Digest: Sydney

Uzoka, F.M.E., & Famuyiwa, J.O. (2004). A framework for the application of knowledge technology to the management of diseases. *International Journal of Health Care Quality Assurance*, 17(4) Retrieved Jun 29, 2005, from <http://docserver.emeraldinsight.com.eserv.uum.edu.my>

Vaishnavi, V. & Kuechler, W. (2005). Design Research in Information Systems February 20, 2004, last updated June 5, 2005. Retrieved from <http://www.isworld.org/Researchdesign/drisISworld.htm>

Yao, P., Durant, D. (2004). .NET Compact Framework Programming with Visual Basic .NET, Addison-Wesley: Boston