

ONTOLOGY APPLICATION FOR THE HAJJ

NAWAL MASOUD S.M., DINFIR

UNIVERSITY UTARA MALAYSIA

2009

CA
16.1
108
106
107

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ
وَعَلَّمَكَ مَا لَمْ تَكُن تَعْلَمُ وَكَانَ
فَضْلُ اللَّهِ عَلَيْكَ عَظِيمًا

قَدْ قَرَأْتَ الْقُرْآنَ
السُّورَةُ: النِّسَاءُ

« ١١٣ » : ٢٨١



KOLEJ SASTERA DAN SAINS
(College of Arts and Sciences)
Universiti Utara Malaysia

PERAKUAN KERJA KERTAS PROJEK
(Certificate of Project Paper)

Saya, yang bertandatangan, memperakukan bahawa
(I, the undersigned, certify that)

NAWAL MASOUD S.M DINFIR
(800324)

calon untuk Ijazah
(candidate for the degree of) **MSc. (Information Technology)**

telah mengemukakan kertas projek yang bertajuk
(has presented his/her project paper of the following title)

ONTOLOGY APPLICATION FOR THE HAJJ

seperti yang tercatat di muka surat tajuk dan kulit kertas projek
(as it appears on the title page and front cover of project paper)

bahawa kertas projek tersebut boleh diterima dari segi bentuk serta kandungan
dan meliputi bidang ilmu dengan memuaskan.
(that the project paper acceptable in form and content, and that a satisfactory
knowledge of the field is covered by the project paper).

Nama Penyelia Utama
(Name of Main Supervisor): **DR. MOHD SYAZWAN ABDULLAH**

Tandatangan
(Signature) : 

Tarikh
(Date) : 22/11/2009

Dr. Mohd Syazwan Abdullah
PhD (Comp. Sci - York, UK)
Senior Lecturer
Graduate Department of Information System
Universiti Utara Malaysia

ONTOLOGY APPLICATION FOR THE HAJJ

A thesis submitted to the Graduate School in partial
Fulfillments of the requirement for the degree
Master of Science (Information Technology)
University Utara Malaysia

By

NAWAL MASOUD S.M. DINFIR

TABLE OF CONTENTS

PERMISSION TO USE -----	I
ABSTRACT -----	II
ACKNOWLEDGMENTS -----	III
LIST OF FIGURES -----	IV
LIST OF TABLE -----	V
LIST OF ABBREVIATION -----	VI
CHAPTER ONE: INTRODUCTION	
1.1 Preface -----	1
1.2 Problem statement -----	2
1.3 Research Questions -----	3
1.4 Objectives -----	3
1.5 Scope and limitation of study -----	4
1.6 Research outcome -----	4
CHAPTER TWO: REVIEW OF LITERATURE	
2.1 Knowledge management -----	6
2.2 Ontology -----	8
2.3 Protégé -----	10
2.4 Ontology by using Protégé as a tool -----	12
CHAPTER THREE: METHODOLOGY	
3.1 Introduction -----	16
3.2 Phase 1 -----	18
3.2.1 Requirement -----	18
3.3 Phase 2 -----	20
3.3.1 Analysis -----	20
3.3.1.1 Determine the domain and scope of the ontology -----	20
3.3.1.2 Consider reusing existing ontology -----	21
3.3.1.3 Enumerate important term in ontology -----	21
3.4 Phase 3 -----	21
3.4.1 Design -----	21

3.4.1.1 Defining the class hierarchy -----21

3.4.1.2 Defining the properties of slot -----22

3.4.1.3 Defining the facet of the slot -----22

3.4.2 Implementation -----22

3.4.3 Testing -----23

CHAPTER FOUR: ONTOLOGY APPLICATION FOR AL-QURAN

4.1 Introduction -----24

4.2 Phase 1 -----24

32 4.2.1 Requirement -----24

4.2.1.1 Use Case ontology maintenance -----25

4.2.1.1.1 Brief description -----26

4.2.1.1.2 Pre-conditions -----26

4.2.1.1.3 Flow of events -----26

4.2.1.2 Use Case query -----27

4.2.1.2.1 Brief description -----27

4.2.1.2.2 Flow of events -----27

4.3 Phase 2 -----28

4.3.1 Analysis -----28

4.3.1.1 Analysis domain and scope -----28

4.3.1.2 Reusing existing domain -----28

4.3.1.3 Enumerate term -----29

4.4 Phase 3 -----29

4.4.1 Design -----29

4.4.2 Implementation -----34

4.4.3 Testing -----37

CHAPTER FIVE: CONCLUSION AND RECOMMENDATION

5.1 Significance and contribution -----42

5.2 System limitation -----42

5.3 Future enhancement -----42

5.4 Conclusion -----43

REFERENCES -----44

APPENDIX -----	47
1. Knowing the functions of the icon	
a. Class browser - displays the classes in the knowledge base as tree -----	48
b. Class editor - define or attribute of the class. It is slot -----	49
c. Slot browser - displays all the slots in the project -----	50
d. Slot Editor -----	51
e. Form browser - displays all the classes -----	52
2. Ontology application	
a. Instance browser -----	53
b. Instance editor - Graph widget -----	54
c. Query -----	55
3. Ontology Structure of Al-Hajj -----	56
4. Questionnaire form -----	61

PERMISSION TO USE

In presenting this thesis in partial fulfillment of the requirements for a postgraduate degree from Universiti Utara Malaysia, I agree that the University Library may make it freely available for inspection. I further agree that permission for copying of this thesis in any manner, in whole or in part, for scholarly purpose may be granted by my supervisor(s) or, in their absence by the Dean of the Graduate School. It is understood that any copying or publication or use of this thesis or parts thereof for financial gain shall not be allowed without my written permission. It is also understood that due recognition shall be given to me and to Universiti Utara Malaysia for any scholarly use which may be made of any material from my thesis.

Requests for permission to copy or to make other use of materials in this thesis, in whole or in part, should be addressed to

Dean of Graduate School
Universiti Utara Malaysia
06010 UUM Sintok
Kedah Darul Aman.

ABSTRACT

In this our dynamic world, knowledge is related to data and information that already exist, and knowledge management can be shared and interlinked. In a broader scope, it can be used to structure ontology. The use of ontology on knowledge helps users to understand the structure easier. The important matter in ontology is represented by showing the relations among classes in domain. When the relation is already identified, then the structure of ontology for the knowledge domain (i.e. Al-Hajj) can be modelled. Protégé is used in this work to model the structure of ontology. This structure of ontology will assists in sharing knowledge about Al-Hajj.

ACKNOWLEDGMENTS

I thank Allah on achieving this success. May your blessing be upon me.

I sincerely thank Dr. Syazwan Abdullah Li for his invaluable assistance throughout this work. His open-mindedness and encouragement help me tremendously, may God reward him abundantly.

Furthermore, my appreciation goes to all those who contributed to the success of this project.

Lastly, I extend my thanks and gratitude to my dear husband and to my children to have given me help, encouragement and bearing with me the length of time I was preoccupied to accomplish this project.

LIST OF FIGURES

Figure 1.0: Relationship between Juz, Surah and Verse ----- 4

Figure 2.0: The ontology structure of the Al-Quran----- 5

Figure 3.0: Dynamic Knowledge Management System----- 8

Figure 4.0: Protégé architecture ----- 13

Figure 5.0: Prototyping Methodology ----- 18

Figure 6.0: UML diagram ----- 19

Figure 7.0: Conclusion of the top-down and bottom-up approach ----- 22

Figure 8.0: Relationship between Juz, Surah and Verse ----- 24

Figure 9.0: Use case for Ontology Application for The Al-Hajj ----- 25

Figure 10.0: Manage use case ----- 25

Figure 11.0: Query use case ----- 27

Figure 12.0: Class hierarchy for the Al-Quran ontology ----- 30

Figure 13.0: Slot for class of Al-Quran ----- 30

Figure 14.0: Slot for class of Juz ----- 31

Figure 15.0: Slot for class of Surah ----- 31

Figure 16.0: Slot class of Verse ----- 32

Figure 17.0: Slot class of organize structure ----- 32

Figure 18.0: Facet of have many slot ----- 33

Figure 19.0: Facet of ‘noOfJuz’ slot ----- 33

Figure 20.0: Prototype form for class of Juz ----- 35

Figure 21.0: Prototype form for class of Surah ----- 35

Figure 22.0: Prototype form for class of Verse ----- 36

Figure 23.0: Prototype form for class of organize structure ----- 36

Figure 24.0: Instance for class of juz ----- 37

Figure 25.0: Instance for class of surah ----- 38

Figure 26.0: Instance for class of Verse ----- 38

Figure 27.0: Instance for class of organize structure ----- 39

Figure 28.0: Query for verses about “Hajj in surah Al-Hajj” ----- 39

Figure 29.0: Query for list of verses about “Hajj” in The Al-Quran ----- 40

Figure 30.0: Graph from survey ----- 41

LIST OF TABLES

Table 1.0: Summary of methodology ----- 17

Table 2.0: Functional requirement for Use Cases ----- 25

Table 3.0: Teminology use in project ----- 29

Table 4.0: Slot and value type for Al-Quran ontology ----- 34

LIST OF ABBREVIATIONS

CODE	Conceptually Oriented Design Environment
JDK	Java Development Kit
API	Application Programming Interface
DOGMA	Developing Ontology-Grounded Methods and Applications
RAD	Rapid Application Development
UML	Unified Modelling Language
GUI	Graphic User Interface

CHAPTER 1

INTRODUCTION

1.1 Preface

In our dynamic world, organizations need knowledge management tools that enable users to better understand each other's changing contextual knowledge, that foster effective and efficient collaboration while capturing, representing and interpreting the knowledge resources in their domain and business context (Wang et al, 2003).

Ontology has been considered as an adequate methodology to support a variety of activities of knowledge management, including knowledge retrieval, store, sharing, and dissemination (Pundt et al, 1999). The ontology's applications have manage to expand to various domains areas such as e-commerce, e-learning, e-marketing and knowledge management system (Sridharan et al, 2004). It refers to shared vocabulary for facilitating knowledge, communication, storing, searching and sharing in knowledge management systems. The ontology methodology is used as a guideline for creating ontologies based on a declarative knowledge representation system. The system is deployed on the Protégé ontology editor tool 1998. In ontology, users may create separating classes and instances for maintenance, modularity and scalability.

Similarly, ontology can be applied into religion spectrum, in a variety of ways, in Islamic religion for instance, it can be applied to Al-Hajj, which has been clearly specified in Al-Quran. The Al-Quran provides clear explanation about human and nature, for instance, it has a very essential knowledge to be shared by all human beings. As Khan (2005) defined, Al-Quran is the Holy Scripture of the Muslims and was revealed precisely by Allah to the Prophet Muhammad through Jibreel. It provides the basic codes of conduct in all spheres of life. Ontology is the way to share knowledge for the performance of hajj as specified in the Al-Quran. The Al-Quran in the form of conceptual model helps us to find suitable verses related to our problems on Hajj. Conceptual model is used to map text representation onto ontology concept,

The contents of
the thesis is for
internal user
only

REFERENCES

- Book of Allah.(2006).The Holy Quran. Malaysia: Andasorabya.
- Aldea.A., Alcantara.R.B., Bocio.J.,Gramajo.J., Isern.D.,Kokossis.A ., Jimenezl.L., Moreno.A., Riano.D (2004) . An Ontology-Based Knowledge Management Platform.
- Alexaki.S(2000) Managing rdf metadata for community webs. In 2nd International Workshop on the WWW and Conceptual Modelling.
- Fensel.D., Harmelen.F.V,Klein.M., Akkermans.H (2001) .On-To-Knowledge: Ontology-based Tools for Knowledge Management , Free University Amsterdam VUA, Division of Mathematics and Informatics , De Boelelaan 1081a, NL-1081 HV Amsterdam, The Netherlands
<http://www.ontoknowledge.org> ; contact: dieter@cs.vu.nl
- Gavrilova.T ., Jin.H.N (2008) Ontology-Based Knowledge Portal Development for University Knowledge Management.
- Geyer, M., (2005) . OWL Bible Ontology .Retrieved 2nd July 2009 from <http://www.semantic-bible.net/bible-ont.html>.
- Khan, M.D.F(2005) What is Al-Quran. Kuala Lumpur : A.S.Noordeen .
- Li, Z., Xi, Y., & Ge, J.(2008). Study on Knowledge Management Model Based on Business Process Fuzzy Systems and Knowledge Discovery, 2008. FSKD '08. Fifth International Conference on. 5. 562 — 569. Digital Object Identifier 10.1109/FSKD.2008.174 .
- Muller.P.A., Studer.P ., Fondement.F., Bézivin.J (2005).Platform independent Web Application modeling and development with Netsilon. Software and System Modeling (SOSYM) .
- Noy, N.F. Sintek, M. Decker, S. Crubezy, M. Ferguson, R.W. & Musen, M.A. (2001). Creating Semantic Web contents with Protege-2000. Intelligent Systems, IEEE. Vol: 16, Issue: 2.60- 71
- Noy, N.F., Crub'ezzy, M., Ferguson, R.W., Knublauch, H., Samson, W. T., Jennifer, V., Musen, M.A., (2003), Prot'eg'e-2000: An Open-Source Ontology-Development and Knowledge-Acquisition Environment, AMIA 2003 Symposium Proceedings AMIA 2003 Open Source Expo, Stanford Medical Informatics, Stanford University School of Medicine, Stanford, CA 94305, pp.953.
- Noy.N.F., Rubin.D.L., Musen.M.A .(2007) . Protégé: A Tool for Managing and Using Terminology in Radiology Applications.

Philips. J.(2004) IT project management. McGraw Hill .

Razmerita,L 1 ., Angehrn.A 1 ., Maedche.A 2 (2003) . Ontology-based User Modeling for Knowledge Management Systems .1- INSEAD,CALT-Centre of Advanced Learning Technologies, 77300 Fontainebleau, France
liana.razmerita@ugal.ro, albert.angehrn@insead.edu .
2 -FZI Research Center for Information Technologies, 76131 Karlsruhe, Germany <http://www.fzi.de/wimmaedche@fzi.de>

Rubin, D.L., Noy, N.F.,& Musen, M.A.(2007) Protégé: A Tool for Managing and Using Terminology in Radiology Applications. Journal of Digital Imaging .

Sebestyénová.J (2004) . Usage of Domain Ontology in e-Learning . Institute of Informatics, Slovak Academy of Sciences, Bratislava, Slovakia ,
sebestyenova@savba.sk .

Sellapan, P. (2000).Software engineering. Management and methods. Sejana Publishing: Petalfng Jaya.

Shankar, R.D., Tu, S.W. & Musen, M.A.(2002). Use ofProtege-2000 to Encode Clinical Guidelines. Stanford Medical Informatics, Stanford University School of Medicine, Stanford, California, USA

fSkuce, D.,(1995) Knowledge management in software design: a tool and a trial. Software Engineering Journal.

Sridharan B., Tretiakov A. and Kinshuk (2004), Application of Ontology to Knowledge Management in Web based Learning. In Kinshuk, Proceedings of the 4th IEEE International Conference on Advanced learning Technologies 2004, Los Aiamitos, CA: IEEE Computer Society, pp.663- 665.

Stanford Center for Biomedical Informatics Research (2009). Protégé Documentation. Retrieved from <http://protege.stanford.edu/>.

Tammal.V.A.M., Visser.P.R.S, Malerba.D & Jones.D.M (2000) . Computer Assisted Ontology clustering for Knowledge sharing.

Turban, E., Aronson, J.E., Liang , T., & Sharda, R., (2007). Decision Support and Business Intelligence System 8ed.New Jersey: Pearson International Edition.

Wang,Y ., Yang, Z., Kong, P.H.H , & Gay , R.K.L (2003) . Ontology-based Web Knowledge Management. Information Communication Institute of Singapore (ICIS), School of Electrical and Electronic Engineering , Nanyang Technological University SINGAPORE 639798 .

Wang.Y (2005) . Knowledge Elicitation Plug-in for Protégé -Card Sorting and

Laddering . School of Computer Science.

Zimmermann.K., Vienna.P.O .,& Mimkes.J. (2005) An Ontology Framework for e-Learning in the Knowledge Society . ISN Oldenburg Hans-Ulrich Kamke, Humboldt University of Berlin.