

**SCHEDULING ALGORITHM FOR LOT MOVEMENT
IN SEMICONDUCTOR WAFER FABRICATION**

**A Thesis submitted to the Graduate School in partial
fulfillment of the requirements for the degree
Master of Science (Intelligent Systems)
Universiti Utara Malaysia**

By

Norzeyuswati Binti Md Zenal (87062)



**KOLEJ SASTERA DAN SAINS
(College of Arts and Sciences)
Universiti Utara Malaysia**

**PERAKUAN KERJA KERTAS PROJEK
(Certificate of Project Paper)**

Saya, yang bertandatangan, memperakukan bahawa
(I, the undersigned, certify that)

NORZIEYUSWATI MD. ZENAL

calon untuk Ijazah
(candidate for the degree of) **MSc. (Intelligent System)**

telah mengemukakan kertas projek yang bertajuk
(has presented his/her project paper of the following title)

**SCEDULING ALGORITHM FOR LOT MOVEMENT
IN SEMICONDUCTOR WAFER FABRICATION**

seperti yang tercatat di muka surat tajuk dan kulit kertas projek
(as it appears on the title page and front cover of project paper)

bahawa kertas projek tersebut boleh diterima dari segi bentuk serta kandungan
dan meliputi bidang ilmu dengan memuaskan.

(that the project paper acceptable in form and content, and that a satisfactory
knowledge of the field is covered by the project paper).

Nama Penyelia Utama
(Name of Main Supervisor): **PROF. DR. KU RUHANA KU MAHAMUD**

Tandatangan
(Signature)

Tarikh
(Date)

22 May 2008

PERMISSION TO USE

In presenting this thesis in partial fulfillment of the requirements for a postgraduate degree from University Utara Malaysia, I agree that the University Library may make it freely available for inspection. I further agree that permission for copying of this thesis in any manner, in whole or in part, for scholarly purposes may be granted by my supervisor in his absence, by the Dean of the Faculty of Information Technology. It is understood that any copying or publication or use of this thesis or parts thereof for financial gain should not be allowed without my written permission. It is also understood that due recognition shall be given to me and to University Utara Malaysia for any scholarly use which may be made of any material from my thesis.

Requests for permission to copy or to make other use of materials in this thesis, in whole or in part, should be addressed to

**Dean of Faculty of Information Technology
Universiti Utara Malaysia
06010 UUM Sintok
Kedah Darul Aman**

ABSTRACT

Dynamic scheduling for semiconductor wafer FAB is necessary in a complex semiconductor manufacturing environment. An effective material handling scheduling is important in order to avoid tool sits idle waiting for the lot delivery, which resulting in a longer cycle time. Two primary approaches to the scheduling problem in the semiconductor wafer fabrication industry, which are heuristic rules and Artificial Intelligence (AI) optimization method, are discussed. Imitating the collective activities of ant colonies, an approach to constructing pheromone-based scheduling algorithm using Ant Colony Optimization for lot movement in semiconductor wafer fabrication process is propose to be implemented in SilTerra Malaysia.

ACKNOWLEDGEMENTS

I would like to express my gratitude in particular:

My supervisor Prof. Dr. Ku Ruhana Ku Mahamud for her guidance and assistance for me to realize my master thesis.

To those who supported and kept me motivated throughout this interesting journey – my beloved mother Pn. Normah Awang, my course mates Renetha Malar, Ahmad Fazrul, Syed Nizamuddin, Irene Khoh, Jayasegaran and not last but not least Nor’Azah Khushairi and Ahmad Firdaus Adnan.

Norzieyuswati Md Zenal.

Universiti Utara Malaysia,

May 2008.

TABLE OF CONTENTS

CHAPTER 1 : INTRODUCTION.....	1
1.1 Background and problem statement.....	3
1.2 Objective	7
1.3 Scope and limitation.....	7
1.4 Significance of study.....	8
1.5 Organization of the report	8
1.6 Summary	9
CHAPTER TWO : LITERATURE REVIEW.....	10
2.1 Scheduling approaches in semiconductor wafer fabrication.....	10
2.1.1 Heuristics techniques	11
2.1.2 AI optimization methods.....	13
2.2 Ant colony optimization.....	16
2.3 Summary	19
CHAPTER THREE : RESEARCH METHODOLOGY	20
3.1 Ant Colony Optimization framework	20
3.2 Simulation methodology	22
3.2.1 Problem definition.....	22
3.2.2 Simulation model construction	22
3.2.3 Model validation	25
3.2.4 Experiment design and simulation.....	27
3.2.5 Experiments	28
3.2.6 Results evaluation	29
3.3 Summary	30
CHAPTER FOUR : FINDINGS & DISCUSSION	31
4.1 Result	31
4.2 Summary	40
CHAPTER FIVE : CONCLUSION AND FUTURE WORK.....	41
5.1 Research contribution	41
5.2 Future work	42
REFERENCES.....	43
APPENDIX A The ACS Pseudocode	46

LIST OF FIGURES

Figure 1.1: CIM-Automation systems component.....	5
Figure 1.2: SilTerra AMHS Simulation Model	6
Figure 2.1: Ant colony searching paths.	17
Figure 3.1: ACO Metaheuristics	20
Figure 3.2: The lot movement scheduling simulator	25
Figure 3.3: The flowchart for the simulator.....	29
Figure 4.1: $\xi = 0$, ants do not exploit.	33
Figure 4.3: Negative pheromone for eliminating loops.	35
Figure 4.4: Locating nearest alternate stocker.	36
Figure 4.6: Stocker capacity and current utilization.	39

LIST OF TABLES

Table 4.1: Value for the ACS parameters.....	31
Table 4.2: Transport request.	37
Table 4.3: Results from the ACO algorithm.	37
Table 4.4: The AMHS transportation with extra movement	38
Table 4.5: The AMHS transportation with extra movement.....	38

CHAPTER 1

INTRODUCTION

Today's semiconductor companies are looking forward to stay ahead of the competition in cost and speed. Companies aim to reduce cycle time in order to meet promised delivery dates, while maintaining the high capacity utilization required to remain profitable. In the present semiconductor market, shortening the cycle time, raising the throughput rate and on time delivery rate becomes more and more important for the reason of competition. The entire above give high request for dynamic scheduling in semiconductor wafer fabrication.

Semiconductor wafer fabrication is one of the most complex manufacturing processes. Semiconductor wafer fabrication is complex with its unique characteristics, such as reentrant product flows, diverse types of equipment, complex production processes, unpredictable yield and equipment downtime. All of these factors make production planning and scheduling complicated. Hence, effective shop floor scheduling is essential to control the cycle time in ensuring timely deliveries (Upasani *et al.*, 2006).

Scheduling policies attempt to get the right products done at the right time. According to Bixby *et al.* (2006) all schedulers in semiconductor wafer fabrication process area share five common objectives and data requirements. The first is to maximize urgent lot

The contents of
the thesis is for
internal user
only

REFERENCES

1. Bauer, A., Bullnheimer, B., Hartl, R.F. and Strauss, C. (1999), "An ant colony optimization approach for the single machine total tardiness problem", Evolutionary Computation, 1999. CEC 99. Proceedings of the 1999 Congress on Volume 2, Page(s): 1450.
2. Bixby, R., Burda, R., and Miller, D. (2006), "Short-Interval Detailed Production Scheduling in 300mm Semiconductor Manufacturing using Mixed Integer and Constraint Programming", Advanced Semiconductor Manufacturing Conference, 2006. ASMC 2006. The 17th Annual SEMI/IEEE May 22-24, Page(s):148 – 154.
3. Bo Li, Wu, J.; Carriker, W. and Giddings, R. (2005), "Factory throughput improvements through intelligent integrated delivery in semiconductor fabrication facilities." Semiconductor Manufacturing, IEEE Transactions on Volume 18, Issue 1, Page(s): 222 – 231.
4. Chan, F.T.S., Wong, T.C. and Chan, P.L.Y. (2005), "Lot Streaming Technique in Job-Shop Environment. Intelligent Control", IEEE International Symposium, Mediterranean Conference on Control and Automation. Page(s): 364 – 369.
5. Yang Chia-Wen, Huang Kuo-Sung, Gary Yu and Dong-Yeh Jan. (2002), "Using queuing theory to estimate the storage space of stocker in automated material handling systems", Semiconductor Manufacturing Technology Workshop. Page(s): 102- 104.
6. Chia-Nan Wang and Da-Yin Liao. (2003), "Effective OHT dispatching for differentiated material handling services in 300mm wafer foundry". Robotics and Automation, 2003. ICRA '03. IEEE International Conference on Volume 1. Page(s): 1027 – 1032.
7. Chik, M.A., Ahmad, I. and Jamaluddin, M.Y. (2004), "A simulation approach for dispatching techniques comparison in 200mm wafer foundry". Semiconductor Electronics, ICSE 2004. IEEE International Conference.
8. Da-Yin Liao and Chia-Nan Wang. (2003), "A neural-network approach to delivery time estimation for 300mm automatic material handling operations", Machine Learning and Cybernetics, International Conference on Volume 2, 2-5 Nov. Page(s): 1073 – 1079.
9. Dorigo, M. (1992), "Optimization, learning and natural algorithm [in Italian]". PhD thesis, Politecnico di Milano, Milan, Italy.
10. Dorigo, M & Gambardella, L. M (1997a), "Ant colonies for the traveling salesman problem", BioSystems, 43(2), page(s): 73-81.

11. Dorigo, M & Gambardella, L. M (1997b), “Ant colony system: A cooperative learning approach to the traveling salesman problem”, page(s): 53-66.
12. Dorigo M., Di Caro, G. and Gambardella, L. M (1999), “Ant algorithms for discrete optimization. Artificial Life”, 5(2): 137–172.
13. Dorigo M., Di Caro, G. (1999), “The Ant Colony Optimization meta-heuristic”. In D. Corne, M. Dorigo, and F. Glover, editors, New Ideas in Optimization, pages 11–32. McGraw-Hill, London, UK,.
14. Dorigo M., and Stutzle T. (2004), “Ant colony optimization”, The MIT Press, Cambridge, Massachusetts.
15. Dorigo M., and Stutzle T., (2002), “The Ant Colony Optimization Metaheuristic: Algorithms, Applications, and Advances. Handbook of Metaheuristics”, vol 57 of International Series in Operation Research & Management Science page(s):251-285.
16. Miki Fukunari, Srinivas Rajanna, Robert J. Gaskins and Mary Ellen Sparrow. (2002), “Data-based node penalties in a path-finding algorithm in an automated material handling system”, Proceedings Of The 2002 Winter Simulation Conference.
17. Gluer, D. (2003), “Optimization of automated material handling systems regarding robustness and delivery time”, Advanced Semiconductor Manufacturing Conference and Workshop, 2003 IEEE/SEMI. Page(s): 96 – 100.
18. Jiang Hua, Li Li, Qiao Fei and Wu Qidi. (2004), “The new method of dynamic scheduling in semiconductor fabrication line”, Control, Automation, Robotics and Vision Conference, ICARCV 2004 8th Volume 3, Page(s): 1874 – 1878.
19. Jin Young Choi and Reveliotis, S. (2005), “Relative value function approximation for the capacitated re-entrant line scheduling problem”, Automation Science and Engineering, IEEE Transactions, Volume 2, Issue 3, Page(s): 285 – 299.
20. Lo, Z. P. and Bavarian, B. (1991), “Job scheduling on parallel machines using simulated annealing”, Systems, Man, and Cybernetics. Decision Aiding for Complex Systems, IEEE International Conference on 13-16 Oct. Page(s): 391 – 396.
21. M. Luo, J.B. Zhang, M.M.Wong, L.Q. Zhuang, K.C. Ng, S.W. Aung. (2005), “A Heuristic Approach to Auto-Recovery in the Supervisory Control of Heterogeneous Automatic Equipment for Material Handling”, IEEE.
22. Maniezzo, V. (1999), “Exact and approximate nondeterministic tree-search procedures for the quadratic assignment problem,” INFORMS Journal on Computing, vol. 11, pp. 358–368.

23. Maniezzo, V. and Colomi, A. (1999), "The Ant System applied to the quadratic assignment problem", IEEE Trans. Knowl. Data Eng., 11(5).
24. Michael E. Kuhl And Julie Christopher. (2004), "Capacity Analysis Of Automated Material Handling Systems In Semiconductor FABs", Proceedings Of The 2004 Winter Simulation Conference. Volume 2, 5-8 Dec. 2004 Page(s): 1962 – 1966.
25. Michael Norman. (2002), "A recursive method for traffic management through a complex path network". Proceedings Of The 2002 Winter Simulation Conference.
26. Upasani, A.A., Uzsoy, R. and Sourirajan, K. (2006), "A problem reduction approach for scheduling semiconductor wafer fabrication facilities", Semiconductor Manufacturing, IEEE Transactions on Volume 19, Issue 2, Page(s): 216 – 225.
27. Elva J. H. Robinson, Duncan E. Jackson, Mike Holcombe & Francis L. W. Ratnieks. (2005), "Insect communication: 'No entry' signal in ant foraging", Nature.
28. Sellers, D.W. (1996), "A survey of approaches to the job shop scheduling problem", System Theory, 1996., Twenty-Eighth Southeastern Symposium, Page(s):396 – 400.
29. Song Y., Zhang M. T., Yi J., Zhang L. and Zheng L. (2007), "Bottleneck Station Scheduling in Semiconductor Assembly and Test Manufacturing Using Ant Colony Optimization", IEEE Transactions on Automation Science and Engineering: Accepted for future publication Volume 4, Issue 4, Oct, Page(s): 569-578.
30. Tasgetiren, M.F., Sevkli, M., Yun-Chia Liang and Gencyilmaz, G. (2004), "Particle swarm optimization algorithm for single machine total weighted tardiness problem", Evolutionary Computation, CEC2004. Congress on Volume 2, 19-23 June, Page(s): 1412 – 1419.
31. Turban, E. and Aronson, J., (1998). "Decision Support and Intelligent Systems: Management Support Systems". Prentice Hall, Upper Saddle River, New Jersey
32. Wang, H.G. Rooda, J.E. Haan, J.-F. (1996), "Solve scheduling problems with a fuzzy approach", Fuzzy Systems, 1996., Proceedings of the Fifth IEEE International Conference on 8-11 Sep, Volume: 1, On page(s): 194-198.
33. Zhonghua Huang and Zhiming Wu. (2004), "Deadlock-free scheduling method for automated manufacturing systems using genetic algorithm and Petri nets". Robotics and Automation, 2004. Proceedings. ICRA '04. IEEE International Conference on Volume 1, 26 April-1 May, Page(s): 566 – 571.

```

1. /* Initialization phase */
For each pair (r,s)  $\tau(r,s) := \tau_0$  End-for
For k:=1 to m do
Let  $r_{k1}$  be the starting city for ant k
 $J_k(r_{k1}) := \{1, \dots, n\} - r_{k1}$ 
/*  $J_k(r_{k1})$  is the set of yet to be visited cities for
ant k in city  $r_{k1}$  */
 $r_k := r_{k1}$  /*  $r_k$  is the city where ant k is located */
End-for
2. /* This is the phase in which ants build their tours. The tour of
ant k
is stored in  $Tour_k$ . */
For i:=1 to n do
If i<n
Then
For k:=1 to m do
Choose the next city  $s_k$  according to Eq. (3) and Eq. (1)
 $J_k(s_k) := J_k(r_k) - s_k$ 
 $Tour_k(i) := (r_k, s_k)$ 
End-for
Else
For k:=1 to m do
/* In this cycle all the ants go back to the initial city  $r_{k1}$  */
 $s_k := r_{k1}$ 
 $Tour_k(i) := (r_k, s_k)$ 
End-for
End-if
/* In this phase local updating occurs and pheromone is
updated using Eq. (5)*/
For k:=1 to m do
 $\tau(r_k, s_k) := (1-\rho)\tau(r_k, s_k) + \rho\tau_0$ 
 $r_k := s_k$  /* New city for ant k */
End-for
End-for
3. /* In this phase global updating occurs and pheromone is updated */
For k:=1 to m do
Compute  $L_k$  /*  $L_k$  is the length of the tour done by ant k*/
End-for
Compute  $L_{best}$ 
/*Update edges belonging to  $L_{best}$  using Eq. (4) */
For each edge (r,s)
 $\tau(r_k, s_k) := (1-\alpha)\tau(r_k, s_k) + \alpha(L_{best})^{-1}$ 
End-for
4. If (End_condition = True)
then Print shortest of  $L_k$ 
else goto Phase 2

```